

SHELTER CLUSTER INDICATOR GUIDELINES ANNEX I: INDICATOR REVIEW

VERSION 1
SEPTEMBER 2012

GLOBAL SHELTER CLUSTER
ASSESSING SHELTER IMPACT WORKING GROUP

TABLE OF CONTENTS

1. Ove	erview of this Do	cument	ii
1.1	•	Document Structure	
1.2	List of Indicator	rs	1
2. Pre	sentation of Indi	cators	4
2.1	Core Indicators	3	4
	2.1.1	Shelter; Access to Shelter	4
	2.1.2	Shelter; Shelter Assistance	4
	2.1.3	Shelter; Shelter Damage	5
	2.1.4	NFI; NFI Assistance	6
	2.1.5	Vulnerability; Displacement	6
	2.1.6	Disaster Risk Reduction; Improved Land Management	7
	2.1.7	Disaster Risk Reduction; Shelter Hazard Mitigation	7
2.2	Other Shelter C	Cluster Indicators	8
	2.2.1	Shelter; Access to Shelter	8
	2.2.2	Shelter; Shelter Assistance	9
	2.2.3	NFI; NFI Assistance	12
	2.2.4	NFI; Other Commodities	13
	2.2.5	Vulnerability; Social Vulnerability	14
	2.2.6	Vulnerability; Displacement	15
	2.2.7	Housing Land and Property; Security of Tenure	16
	2.2.8	Housing Land and Property; Restoration of Land Rights	17
	2.2.9	Housing Land and Property; Land Records and Administration	18
	2.2.10	Disaster Risk Reduction; Shelter Hazard Mitigation	19
	2.2.11	Disaster Risk Reduction; Improved Land Management	20
	2.2.12	Environment; Environmental Protection	20
2.3	Cross-Cutting I	ndicators	21
	2.3.1	WaSH; Access to Water	
	2.3.2	WaSH; Access to Sanitation	21
	2.3.3	Vulnerability; Social Vulnerability	22
	2.3.4	Vulnerability; Economic Vulnerability	23
	2.3.5	Vulnerability; Landmines / UXOs	23

1. OVERVIEW OF THIS DOCUMENT

1.1 EXPLANATION OF DOCUMENT STRUCTURE

The Indicator Review is produced as an Annex of, and should be read in conjunction with, the Global Shelter Cluster's Indicator Guidelines. It lists and provides guidance on a number of indicators that are relevant for shelter cluster stakeholders. In line with the Indicator Guidelines, indicators are grouped as Core Indicators; Other Shelter Cluster Indicators; and Cross-Cutting Indicators.

Within each chapter, each indicator is categorised by theme and sub-category associated with that theme. The indicators are presented in tables that cover primary information associated with the specific indicator to help the user select indicators as per their individual requirements. The table below provides an overview of the information presented in the tables.

Indicator n°	Indicator name					
Theme	Sub-Category	(Optional) Sub-Division				
Categorisation of indicator according to relevant theme	Linkage to specific issue within theme	Options to render the indicator more specific to a given information need				
		Description				
Rationale		Short narrative describing the information the indicator seeks to collect as well as the relevance of collecting data for such an indicator.				
Comments	Provides information recommendations and measurement, analys	d information of poten	tial challenges and op		gards to the	
		Indicator Measure	ment			
Use in Operation Management Cycle	Baseline Process Evaluation	<u>5</u> 5	Outcome or Output Indicator	Outcome	Output ☑	

1.2 LIST OF INDICATORS

N°	Тнеме	Name	BASELINE	Process	EVALUATION	Оитрит	Оитсоме
CORE I	NDICATORS						
1	Shelter	Number / % of population in need of shelter assistance	Х	Х	Х		
2	Shelter	Number / % targeted households living in adequate shelters meeting shelter standards defined by the cluster	Х	Х	Х	Х	
3	Shelter	Number / % of households in need of shelter assistance receiving shelter support	Х	Х	Χ		
4	Shelter	Number / % of houses/dwellings damaged, destroyed or inaccessible	Х				
5	Shelter	Number / % of houses/dwellings uninhabitable as a consequence of [event]	Х	Х	Х		
6	NFI	Number / % of households in need of NFI assistance	Χ	Χ		Χ	
7	NFI	Number / % of targeted population receiving NFI kits		Х	Х	Х	
8	Vulnerability	Number / % of families displaced from original home	Х	Х	Х		
9	Disaster Risk Reduction	Number / % of population/settlements occupying hazardous land	X	Х	Х		Х
10	Disaster Risk Reduction	Number / % of constructed/rehabilitated shelters incorporating hazard mitigation measures		Х	Х	Х	
	SHELTER CLUSTER						
11	Shelter	Number / % of population with a covered living area at least 3.5m ² per person	Χ	Х	Χ	Х	
12	Shelter	Number / % of households in affected areas indicating shelter as a priority need	Х	Χ	Х		
13	Shelter	Average covered living area per person within the target population	Х	Х	Χ	Х	
14	Shelter	Average plot area per person in camps for displaced	Х	X	Х	X	
15	Shelter	Number of affected households that started shelter reconstruction/rehabilitation independently of humanitarian aid/actors.	Х	Х			Х
16	Shelter	Number / % of affected families supported with shelter solutions		Х	Х	Х	
17	Shelter	Number / % of shelters repaired		Х	Х	Х	
18	Shelter	Number / % of host families supported with shelter solutions		Х	Χ	Х	
19	Shelter	Number / % of households in need of shelter assistance receiving shelter grants		Х	Х	Х	
20	Shelter	% of identified shelter beneficiaries who have not received any shelter assistance to date	Χ	Х	Χ	Х	
21	Shelter	Number of shelter toolkits provided		Х	Х	Х	
22	Shelter	Number / % of shelter grants used entirely for shelter purposes by the beneficiary household		Х	Х		Х
23	Shelter	Number / % of distributed shelter toolkits being used by the beneficiary households		Х	Χ		Х
24	Shelter	Number / % of beneficiary households satisfied/unsatisfied with shelter solutions they received		Х	X		Х
25	Shelter	Number / % of shelter beneficiary households with Acute Respiratory Infection (ARI)		Х	Х		Х

N°	Тнеме	NAME	BASELINE	Process	EVALUATION	Оитрит	Оитсоме
26	NFI	Total Number of NFIs distributed		Х		Х	
27	NFI	Number / % of distributed NFIs being used/sold by beneficiary households		Х	Х		Х
28	NFI	Number / % of population targeted for NFI assistance who have not received any NFI assistance to date		Х	Х	Х	
29	NFI	Number / % of beneficiary households satisfied/unsatisfied with NFIs they received		Χ	Χ		Х
30	NFI	Number / % of targeted households with access to firewood	Х	Х	Х		Х
31	NFI	Number / % of targeted households with access to electricity	Х	Х	Х		Х
32	NFI	Number / % of targeted households with access to gas	Х	Х	Х		Х
33	NFI	Number / % of targeted households that can meet their daily need for cooking/heating fuel	Х	Х	Х		Х
34	NFI	Average daily expenditure of a household on fuel for heating	Х	Х	Х		Х
35	NFI	Average number of days per month distributed fuel lasts at households	Χ	Х	Х		Х
36	Vulnerability	Number / % of highly vulnerable families/individuals as defined by the humanitarian community	Х	Х	Х		Х
37	Vulnerability	Number / % of highly vulnerable affected families as defined by the humanitarian community given shelter assistance	Х	Х	Х	Х	
38	Vulnerability	Number / % of displaced households living in adequate shelters meeting shelter standards defined by the cluster	Х	Х	Х	Х	
39	Vulnerability	Number / % of displaced persons returning to their shelter of origin		Х	Х		Х
40	Vulnerability	Number / % of non-displaced or returning affected households with adequate shelter meeting shelter standards defined by the cluster		Х	Х	Х	
41	Vulnerability	Number / % of affected households able to return and reconstruct an adequate shelter meeting shelter standards defined by the cluster		Х	Х		Х
42	Housing Land and Property	Number / % of forced evictions/property confiscations among target population		Х	Х		Х
43	Housing Land and Property	Number / % of target population affected by land disputes	Х	Х	Х		Х
44	Housing Land and Property	Number / % of landless households/people due to the [event]	Х	Х	Х		
45	Housing Land and Property	Number of households provided with legal advice on HLP issues		Х	Х	Х	
46	Housing Land and Property	Number of legal/policy reforms to promote equitable land access	Χ	Х	Х		Х
47	Housing Land and Property	Number / % of highly vulnerable families as defined by the humanitarian community, given access to land		Х	Х		
48	Housing Land and Property	Number/ % of landless population benefiting from programmes aimed at durable land resettlement solutions	Х	Х	Х	Х	

N°	Тнеме	Name	BASELINE	Process	EVALUATION	Оитрит	Оитсоме
49	Housing Land and Property	Number / % of affected individuals with access to land dispute resolution body (judicial or customary/informal)	Х	Х	Х		Х
50	Housing Land and Property	Number of land records restored/issued		Х	Х		Х
51	Housing Land and Property	% of affected population with restored/issued land records		Х	Х		Х
52	Housing Land and Property	Number of days/steps necessary for access to necessary landholding documents	Х	Х	Χ		Х
53	Housing Land and Property	Number of trainings/information campaigns conducted on land access		Х	Х	X	
54	Housing Land and Property	% of affected population that has received information/training on land access procedures		Х	Х	Х	
55	Disaster Risk Reduction	Number / % of self-constructed/rehabilitated shelters incorporating hazard mitigation measures		Х	Х		Х
56	Disaster Risk Reduction	Number / % of shelter owners adopting hazard mitigation measures		Х	Х		Х
57	Disaster Risk Reduction	Number / % of people reporting improved shelter hazard mitigation knowledge [x] months after training		Х	Х		Х
58	Disaster Risk Reduction	Number of information campaigns conducted aimed at informing target groups about more durable land management practices		Х	Х	Х	
59	Disaster Risk Reduction	% of target group/population reached by information campaigns on more durable land management practices		Х	Х	Х	
60	Environment	Number / % of shelters constructed from sustainable/renewable supply sources		Х	Х	X	
61	Environment	Number / % of shelter owners using sustainable/renewable materials for their rehabilitation/reconstruction activities		Х	Х		Х
CROSS	-CUTTING INDICATO	RS					
62	WaSH	Number / % of affected households with access to safe drinking water	Х	Х	Х	Х	
63	WaSH	Average distance from a water source/facility	Х	Х	Х	Х	
64	WaSH	Number / % of shelters with individual sanitation facilities	Х	Х	Х	X	
65	WaSH	Number / % of shelters with shared sanitation facilities	Х	Х	Х	Х	
66	WaSH	Average distance between shelter and communal sanitation facilities	Х	X	Х	Х	
67	Vulnerability	Total number of people affected	Х	Х	Х		
68	Vulnerability	% of affected households under the poverty line after the [event]	Х		Х		Х
69	Vulnerability	Average monthly income pre and/or post [event] within target population	Х		Х		Х
70	Vulnerability	% of target families able to independently manage their daily needs	Х		Х		Х
71	Vulnerability	Number / % of shelters with presence of UXOs/ERW	Х	Х	Х	Х	

2. PRESENTATION OF INDICATORS

2.1 CORE INDICATORS

2.1.1 Shelter; Access to Shelter

n°1	Number / % of population in need of shelter assistance					
Theme	Sub-Category		(Optional) Sub	o-Division		
Shelter	Access to Shelter		Settlement type, S	helter solution		
		Description				
Rationale	Rationale This indicator profiles potential target groups. Disaggregating by settlement type or shelter solution can enable better profiling and enable the cluster to prioritise aid delivery.					
Comments	If disaggregating by se e.g.: Camps, informal sit		re categories are def	fined according to	specific context	
		Indicator Typolo	ogy			
Llas in Operation	Baseline		Outcome or	Outcome	Output	
Use in Operation Management Cycle	Process	V	Output Indicator	Outcome	Output	
wanagement Cycle	Evaluation	V	Output mulcator		J	

n° 2	Number / % of target defined by the cluster	ed households liv	ing in adequate she	elters meeting sh	elter standards
Theme	Sub-Category		(Optional) Sub	o-Division	
Shelter	Access to Shelter	Shelter	solution (emergency,	transitional, perma	anent)
		Description			
Rationale	This indicator provides information of how many households are living in adequate shelters, as defined by the cluster. According to the specificities of the context, it can provide the actual number of people benefitting from shelter assistance and therefore be used to monitor the impact of shelter humanitarian response.				
Comments	If disaggregating by she considered as 'emerge sub-categorisation, as re	ncy' 'transitional' or			
		Indicator Measure	ment		
Use in Operation Management Cycle	Baseline Process Evaluation	<u> </u>	Outcome or Output Indicator	Outcome	Output ☑

2.1.2 Shelter; Shelter Assistance

n° 3	Number / % of households in need of shelter assistance receiving shelter support						
Theme	Sub-Category	Sub-Category (Optional) Sub-Division					
Shelter	Shelter Assistance	Shelter	solution (emergency,	transitional, perma	anent)		
		Description					
Rationale	Broad indicator useful for reporting progress at the cluster level. This indicator shows the overall ationale number of targeted household beneficiaries who have received assistance through the shelter cluster.						
Comments	Shelter cluster stakeholders should agree on what should be considered as 'emergency' 'transitional' or 'permanent' shelter assistance, as well as any furtehr sub-categorisation, as						
		Indicator Measure	ment				
Use in Operation Management Cycle	Baseline						

Shelter; Shelter Damage 2.1.3

n° 4	Number / % of houses/dwellings damaged, destroyed or inaccessible						
Theme	Sub-Category (Optional) Sub-Division						
Shelter	Shelter Damage	Shelter Damage Shelter type; Settlement type; Damage category					
		Description					
Rationale This indicator should breaks down damaged and/or destroyed shelter per type of construction and degree of damage. This information enables aid actors to understand which house categories are the most affected and to what extent they are damaged. It therefore can facilitate, if the sampling strategy allows it, the formulation of a response plan by the cluster and its members. Shelter assistance could thus be tailored according the type of targeted constructions and the degree of damage.							
Comments	Type of Building to be etc. Category of damag non-technical enumeratestablished by govt (altr	ge should be divide ors. Where relevan	d into (normally 3-4) t, they should also be	levels that are ear	sy to assess by		
		Indicator Measure	ment				
Use in Operation Management Cycle	Baseline Process Evaluation	Outcome or Outcome Output Indicator					

n° 5	Number / % of houses	Number / % of houses / dwellings uninhabitable as a consequence of [event]					
Theme	Sub-Category		(Optional) Sub	o-Division			
Shelter	Shelter Damage	Shelter type; Settl	ement type; Cause of	damage; Damage	category		
		Description					
Rationale	Rationale This indicator shows the number and % of shelters inhabitable as a consequence of a specific event. It enables prioritisation of interventions towards affected households who can no longer reside in their shelter, as well as acting as a progress and evaluation indicator on how many affected households have returned to their original shelter.						
Comments	Subdividing the indicato most affected or are bet				l categories were		
		Indicator Measure	ment				
Use in Operation Management Cycle	Baseline Process Evaluation	<u>a</u>	Outcome or Output Indicator	Outcome	Output		

2.1.4 NFI; NFI Assistance

n° 6	Number / % of households in need of NFI assistance					
Theme	Sub-Category		(Optional) Sub	o-Division		
NFI	NFI Assistance	Beneficiary	status (displaced, ho	st family, etc.); NF	I category	
		Description				
Rationale	This indicator supports planning and prioritisation according to affected demographic groups or geographic areas.					
Comments	Clear definition of categ significant benefit in plan		nce required according	g to specific conte	xt would provide	
		Indicator Measure	ment			
Lico in Operation	Baseline	$\overline{\checkmark}$	Outcome or	Outcome	Output	
Use in Operation Management Cycle	Process	$\overline{\checkmark}$	Output Indicator		Output ☑	
wanagement Cycle	Evaluation		Output indicator			

n° 7	Number / % of targeted	Number / % of targeted population receiving NFI kits					
Theme	Sub-Category		(Optional) Sub	o-Division			
NFI	NFI Assistance	Beneficiary	status (displaced, ho	st family, etc.); NF	I category		
		Description					
Rationale	The indicator provides a	The indicator provides an overview of implementation coverage and gap analysis.					
Comments	Data for analysis of this actors – provided a cle cluster partners. Definiti	ar definition of NFI	'kits' is approved at	a cluster level an	d adhered to by		
		Indicator Measure	ment				
Use in Operation Management Cycle	Baseline Process Evaluation	Outcome	Output ☑				

2.1.5 Vulnerability; Displacement

n° 8	Number / % of families	Number / % of families displaced from original home					
Theme	Sub-Category	(Optional) Sub-Division					
Vulnerability	Displacement	Settlement type (at origin); Displacement conditions (formal camp, spontaneous settlement, hosted, evacuation centre); Displacement status (temporary, permanent, returnee etc.), Aid recipient / beneficiary (whether already a beneficiary of cluster support or not)					
		Description					
Rationale	This indicator is useful both as a snapshot for use in informing a given context as well as in terms of monitoring in situations where returns are possible and indeed supported by the humanitarian community. Monitoring of this indicator could provide an early indication of potential future housing needs amongst displaced households.						
Comments	Linkage with CCCM clustor data verification.	ster as well as IOM	/ UNHCR depending	of nature of displa	cement is critical		
		Indicator Measure	ment				
Use in Operation Management Cycle	Baseline Process Evaluation	<u>a</u>	Outcome or Output Indicator	Outcome	Output		

2.1.6 Disaster Risk Reduction; Improved Land Management

n° 9	Number / % of populat	Number / % of population / settlements occupying hazardous land					
Theme	Sub-Category		(Optional) Sub	o-Division			
Disaster Risk Reduction	Improved Land Management	Geographical / Administrative location, Settlement type			ent type		
Description							
Rationale	population understands	Primarily useful following large scale permanent shelter campaigns to track whether the affected population understands which land is hazardous and the success of resettlement programmes on decreasing the impact of future disasters.					
Comments	This indicator requires g	eographic data coll	ection capabilities and	l its analysis throu	gh GIS.		
		Indicator Measure	ment				
Use in Operation	Baseline		Outcome or	Outcome	Output		
Management Cycle	Process		Output Indicator	Outcome	Output		
wanagement Cycle	Evaluation		Output mulcator				

Disaster Risk Reduction; Shelter Hazard Mitigation

n° 10	Number / % of constructed / rehabilitated shelters incorporating hazard mitigation measures				
Theme	Sub-Category (Optional) Sub-Division				
Disaster Risk Reduction	Shelter Hazard Mitigation	Settlement type; Shelter solution			
Description					
Rationale	incorporate specific mea	This indicator provides information on the number of shelters constructed / set up by partners that incorporate specific measures designed to mitigate the impact of hazards experienced in the area of intervention (earthquake, fire, wind, etc.)			
Comments	Indicator would require reported by cluster mem			ined in order to	ensure that data
		Indicator Measure	ment		
Use in Operation Management Cycle	Baseline Process Evaluation	<u>a</u>	Outcome or Output Indicator	Outcome	Output ☑

2.2 OTHER SHELTER CLUSTER INDICATORS

2.2.1 Shelter; Access to Shelter

n° 11	Number / % of population with a covered living area at least 3,5m ² per person				
Theme	Sub-Category	(Optional) Sub-Division			
Shelter	Access to Shelter		Settlement type; S	helter solution	
		Description			
Rationale	Measurement of SPHERE standards for covered living area available to an individual. This indicate provides information about existing gaps in terms of covered living area and therefore can be use by aid actors to plan the amount of shelter rehabilitation/reconstruction needed.				
Comments	Given the amount of ti measurement of this in- relevant baseline indica shelter solutions. Ensur area'.	dicator, it may be l tor when launching	ess relevant in emero a transition from eme	gency settings – t ergency shelter tov	hough may be a vards transitional
		Indicator Measure	ment		
Use in Operation Management Cycle	Baseline Process Evaluation	<u>a</u>	Outcome or Output Indicator	Outcome	Output ☑

n° 12	Number / % of households in affected areas indicating shelter as a priority need					
Theme	Sub-Category		(Optional) Sub-Division			
Shelter	Access to Shelter	Settlement type,	Household status (ID conditions, Displace), Displacement	
		Description				
Rationale	needs. This indicator is	Information collected by this indicator is qualitative and reflects the community's perception of their needs. This indicator is adapted particularly in the early phases of the emergencies as it can be collected with few resources and over a short period of time.				
Comments	Definition of a community	ty should be determ	ined according to con	text to ensure cons	sistent data	
		Indicator Measure	ment			
Use in Operation Management Cycle	Baseline Process Evaluation	<u> </u>	Outcome or Output Indicator	Outcome	Output	

n° 13	Average covered living area per person within the target population					
n° 14	Average plot area per	person in camps f	or displaced			
Theme	Sub-Category		(Optional) Sub	o-Division		
Shelter	Access to Shelter	Shelter solution, Household status, Settlement type			type	
	Description					
Rationale	be used to inform aid	This indicator provides information about existing gaps in the shelter response, and therefore can be used to inform aid actors about necessary strategy changes or support in planning shelter rehabilitation or reconstruction as well as land allocation needs.				
Comments	Data from this indicator necessary)	can support in the	verification of the SI	PHERE standards	of 3,5m ² (where	
		Indicator Measure	ment			
Use in Operation Management Cycle	Baseline Process Evaluation	<u>a</u>	Outcome or Output Indicator	Outcome	Output ☑	

n° 15	Number of affected independently of huma			reconstruction	/ rehabilitation
Theme	Sub-Category		(Optional) Sub	o-Division	
Shelter	Access to Shelter	Settlement type	e, Household status (II	DP, host family, etc	c.), Risk factor
		Description			
Rationale	Rationale Information collected by this indicator may help reflect the community's perception of their needs and provides an indication of the capacity / coping mechanisms available in terms of shelter. This indicator is adapted particularly in the early phases of the emergencies as it can be collected with few resources and over a short period of time.				s of shelter. This
Comments	Developing an early unreconstruction is crucial reduce the potential for	in order to ensure	that the responses d		
		Indicator Measure	ment		
Use in Operation Management Cycle	Baseline Process Evaluation	<u> </u>	Outcome or Output Indicator	Outcome ☑	Output

2.2.2 Shelter; Shelter Assistance

n° 16	Number / % of affected	Number / % of affected families supported with shelter solutions					
Theme	Sub-Category		(Optional) Sul	o-Division			
Shelter	Shelter Assistance	Shelter solution (emergency, transitional, permanent), Aid delivery mechanism (shelter kit, shelter grant, Household status, Settlement type					
	Description						
Rationale	Broad indicator useful for	Broad indicator useful for reporting progress at the cluster level.					
Comments	Shelter and or settlemen	nt assistance to be	defined according to the	ne specific context			
		Indicator Measure	ment				
Use in Operation	Baseline		Outcome or	Outcome	Output		
Management Cycle	Process		Output Indicator		Output ☑		
Management Cycle	Evaluation		Output mulcator				

n° 17	Number / % of shelters	s repaired				
Theme	Sub-Category (Optional) Sub-Division					
Shelter	Shelter Assistance	Settlement type, Cause of damage, Damage type/ category				
	Description					
Rationale	Knowledge about shelter repairs (especially when disaggregated) provides the humanitarial community with two pieces of information: (1) number and % of shelters that are returned to conditions to host beneficiaries close to pre-emergency standards; and (2) whether any gaps have been created in the targeting of shelters selected for repair.				are returned to	
Comments	If data for this indicato cluster members accord determined in order to fa	ding to the specific acilitate a comprehe	context of the crisis nsive analysis.			
		Indicator Measure	ment			
Use in Operation Management Cycle	Baseline Process Evaluation	<u> </u>	Outcome or Output Indicator	Outcome	Output ☑	

n° 18	Number / % of host far	Number / % of host families supported with shelter solutions					
Theme	Sub-Category	(Optional) Sub-Division					
Shelter	Shelter Assistance	Household	Household status, Shelter solution, Aid delivery mechanism				
		Description					
Rationale	The information collected refers to shelter solutions which are targeted to host families. These may include aid mechanisms to help host families - and their shelter infrastructure - cope with the added burden of hosted families.						
Comments	Specific vulnerabilities a	nd shelter adequac	y to be determined ac	cording to specific	context.		
		Indicator Measure	ment				
Llas in Operation	Baseline		Outcome or	Outcome	Output		
Use in Operation Management Cycle	Process	$\overline{\checkmark}$	Output Indicator		Output ☑		
Management Cycle Evaluation	Evaluation	$\overline{\checkmark}$	Output indicator				

n° 19	Number / % of households in need of shelter assistance receiving shelter grants					
Theme	Sub-Category		(Optional) Sub	o-Division		
Shelter	Shelter Assistance	Settlement type, Damage Category, Household status				
Description						
Rationale	This indicator provides specific type of shelter a	his indicator provides quantitative information about the number of families who receive the pecific type of shelter assistance but not the impact of such assistance.				
Comments	This indicator can be ga are reporting to the She			volved in shelter g	grants operations	
		Indicator Measure	ment			
Lles in Operation	Baseline		Outcome or	Outcome	Output	
Use in Operation Management Cycle	Process	Ø	0 0.1000 0.	Outcome	Output ☑	
ivianagement Cycle	Evaluation	V	Output Indicator		<u> </u>	

n° 20	% of identified shelter beneficiaries who have not received any shelter assistance to date					
Theme	Sub-Category					
Shelter	Shelter Assistance	Settlement type, Cause of damage, Household status				
		Description				
Rationale This indicator provides information about targeted beneficiaries for shelter assistance who have no yet been assisted. It has a double function to: (1) provide an estimate of existing needs durign or a the end of relief / recovery assistance programmes; and (2) monitor and assess the overall impact of humanitarian assistance in the shelter cluster.					eeds durign or at	
Comments	An initial baseline woul Shelter and/or settlemer					
		Indicator Measure	ment			
Use in Operation	Baseline		Outcome or	Outcome	Output	
Management Cycle	Process		Output Indicator		Output ☑	
Management Cycle	Evaluation	7	Output indicator			

n° 21	Number of shelter toolkits provided					
Theme	Sub-Category		(Optional) Sub	o-Division		
Shelter	Shelter Assistance	Househ	old status, Settlemen	t type, Damage ca	tegory	
Description						
Rationale		This is quantitative information that is defined to provide the overall number of beneficiaries who receive toolkits. It can be easily collected through aid actor reports to the cluster.				
Comments	Standardised understan	Standardised understanding of what constitutes a toolkit to be defined according to specific context				
		Indicator Measure	ment			
Use in Operation	Baseline		Outcome or	Outcome	Output	
Use in Operation Management Cycle	Process	$\overline{\checkmark}$	Output Indicator	Outcome	Output ☑	
wanayement Cycle	Evaluation		Output indicator		<u> </u>	

n° 22	Number / % of shelter grants used entirely for shelter purposes by the beneficiary household							
Theme	Sub-Category		(Optional) Sul	o-Division				
Shelter	Shelter Assistance	Househ	old status, Settlemen	t type, Damage ca	tegory			
Description								
Rationale		This indicator can be used to measure the outcome of shelter grants programmes. Data from this indicator can be used to review the impact and relevance of this type of shelter assistance.						
	Indicator Measurement							
Llas in Operation	Baseline		Outcome or	Outcome	Output			
Use in Operation Management Cycle	Process		Output Indicator	Outcome	Output			
Management Cycle	Evaluation		Output indicator		Ц			

n° 23	Number / % of distributed shelter toolkits being used by the beneficiary households							
Theme	Sub-Category		(Optional) Sub	o-Division				
Shelter	Shelter Assistance	Househ	old status, Settlemen	t type, Damage ca	tegory			
Description								
Rationale		This indicator can be used to measure the outcome of shelter toolkit distributions. Data from this indicator can be used to review the impact and relevance of this type of shelter assistance.						
	Indicator Measurement							
Use in Operation	Baseline		Outcome or	Outcome	Output			
Management Cycle	Process		Output Indicator	Outcome	Output			
wanagement Cycle	Evaluation		Output indicator		Ц			

n° 24	Number / % of benef received	iciary households	satisfied / unsatis	fied with shelter	solutions they		
Theme	Sub-Category		(Optional) Sub	o-Division			
Shelter	Shelter Assistance	Settlem	ent type, shelter type,	, aid delivery mech	anism		
Description							
Rationale		The information collected by this indicator allows shelter aid actors to assess beneficiary houshold's rates of satisfaction with the shleter solutions that are provided.					
		Indicator Measure	ment				
Lles in Operation	Baseline		Outcome or	Outcome	Output		
Use in Operation Management Cycle	Process	V		Outcome	Output		
ivialiagement Cycle	Evaluation	$\overline{\checkmark}$	Output Indicator	Y.			

n° 25	Number / % of shelte (ARI)	er beneficiary hou	seholds with cases	of Acute Respi	ratory Infection		
Theme	Sub-Category		(Optional) Sul	o-Division			
Shelter	Shelter Assistance		Settlement type,	shelter type			
Description							
Rationale		The information collected by this indicator enables to assess the effectiveness of measures (related to shelter design, NFI distribution or eductaion) to reduce the rate of ARI.					
Comments	collection mechanism	Data could prove difficult to obtain or compare in post-emergency settings. Only use indicator if data collection mechanism is valid (for example: availability of medical certificates and/or of technical/medical staff among assessment team).					
		Indicator Measure	ment				
Lies in Operation	Baseline		Outcome or	Outcome	Output		
Use in Operation Management Cycle	Process			Outcome	Output		
iviariagement Cycle	Evaluation	V	Output Indicator	IV.			

2.2.3 NFI; NFI Assistance

n° 26	Total number of NFIs distributed				
Theme	Sub-Category		(Optional) Sub	o-Division	
NFI	NFI Assistance	NFI kit typ	e (hygiene, cooking, fa	amily kit, etc.), NFI	category
	Description				
Rationale		his is a quantitative information that is defined to provide an overall perspective of the scale of the tervention. Data collection can be facilitated by regular reporting of activities by cluster partners.			
Comments	Data for analysis of this actors provided a clear of partners.				
		Indicator Measure	ment		
Use in Operation	Baseline Process		Outcome or	Outcome	Output
Management Cycle	Evaluation		Output Indicator		☑

n° 27	Number / % of distributed NFIs being used / sold by beneficiary households					
Theme	Sub-Category	Sub-Category (Optional) Sub-Division				
NFI	NFI Assistance	Beneficiary status	s (displaced, host fam	ily, etc.); NFI cate	gory, Timeframe	
Description						
Rationale	This indicator supports the measurement of the impact of NFI distribution interventions. When monitored in real-time it can support operational decision-making to ensure that NFIs being distributed are relevant based on the time of distribution and/or priority needs of the beneficiary communities.					
		Indicator Measure	ment			
Use in Operation	Baseline		Outcome or	Outcome	Output	
Management Cycle	Process		Output Indicator	Outcome	Output	
wanagement Cycle	Evaluation	$\overline{\checkmark}$		<u> </u>		

n° 28	Number I % of population targeted for NFI assistance who have not received any NFI assistance to date					
Theme	Sub-Category		(Optional) Sub	o-Division		
NFI	NFI Assistance	Beneficiary status	s (displaced, host fam	ily, etc.); NFI cated	gory, Timeframe	
Description						
Rationale	Understanding of gap ar	nalysis for the interv	ention.			
		Indicator Measure	ment			
Lico in Operation	Baseline		Outcome or	Outcome	Output	
Use in Operation	Process	V		Outcome	Output ☑	
Management Cycle	Evaluation	V	Output Indicator		₩.	

n° 29	Number / % of beneficiary households satisfied / unsatisfied with NFIs they received					
Theme	Sub-Category		(Optional) Sub	o-Division		
NFI	NFI Assistance		NFI type, Aid delive	ery mechanism		
	Description					
Rationale		The information collected by this indicator allows shelter aid actors to assess beneficiary household's rates of satisfaction with the NFI solutions that are provided.				
		Indicator Measure	ment			
Use in Operation	Baseline		Outcome or	Outcome	Output	
Management Cycle	Process	V	Output Indicator	Outcome	Output	
ivianagement Cycle	Evaluation	V	Output indicator			

2.2.4 NFI; Other Commodities

n° 30	Number / % of targeted households with access to firewood Number / % of targeted households with access to electricity					
n° 31				<u>'</u>		
n° 32	Number / % of targeted	d households with				
Theme	Sub-Category		(Optional) Sub	o-Division		
NFI	Other Commodities	Shel	ter type; Settlement ty	pe; Household sta	itus	
	Description					
Rationale	Indicator relevant as a v	Indicator relevant as a vulnerability marker and as a progress monitoring tool.				
Comments	Relevance of indicator d	ependent on the sp	ecific context.			
		Indicator Measure	ment			
Use in Operation	Baseline Process	<u> </u>	Outcome or	Outcome	Output	
Management Cycle	Evaluation	<u> </u>	Output Indicator	\square		

n° 33	Number / % of targeted households that can meet their daily need for cooking / heating fuel					
Theme	Sub-Category	(Optional) Sub-Division				
NFI	Other Commodities	Shel	ter type; Settlement ty	/pe; Household sta	ntus	
		Description				
Rationale	Indicator relevant as a vulnerability marker and as a progress monitoring tool. Based on the availability of baseline data, can be used to monitor the impact of action[s].					
Comments	(e.g. improved isolation term). Type of cooking/l	This type of indicator can be used as a proxy for determining the impact of a shelter programme (e.g. improved isolation in shelters reducing expenditures on fuel for heating in the medium/- longer term). Type of cooking/heating fuel and its associated value to be determined according to specific context. Where relevant, it is strongly recommended to use indicator with the subsequent indicators				
		Indicator Measure	ment			
Use in Operation Management Cycle	Baseline Process Evaluation	<u>a</u>	Outcome or Output Indicator	Outcome ☑	Output	

n° 34	Average daily expenditure of a household on fuel for heating				
Theme	Sub-Category		(Optional) Sub	o-Division	
NFI	Other Commodities	Shel	ter type; Settlement ty	/pe; Household sta	itus
		Description			
Rationale	Relevance of this indicator as a vulnerability marker and as an impact monitoring tool is highly dependent on context – particularly availability of baseline data. May also be used as an early warning mechanism or criterion for intervention justification.				
Comments	This type of indicator ca (e.g. improved isolation term). Type of cooking/h context.	in shelters reducing	expenditures on fuel	I for heating in the	medium/- longer
		Indicator Measure	ment		
Use in Operation Management Cycle	Baseline Process Evaluation	<u> </u>	Outcome or Output Indicator	Outcome ☑	Output

n° 35	Average number of days per month distributed fuel lasts at households					
Theme	Sub-Category (Optional) Sub-Division					
NFI	Other Commodities	Shel	Shelter type; Settlement type; Household status			
Description						
Rationale Indicator supports needs definition / programmatic planning and can be used as an imparamentation monitoring tool depending on the nature of the action (i.e. objective of increasing energy efficiency the HH level). It may also be used as an early warning mechanism or criterion for interventic justification.				nergy efficiency a		
Comments	Type of cooking/heatin context.	g fuel and its ass	ociated value to be	determined acco	rding to specific	
		Indicator Measure	ment			
Use in Operation Management Cycle	Baseline Process Evaluation	<u>a</u>	Outcome or Output Indicator	Outcome ☑	Output	

2.2.5 Vulnerability; Social Vulnerability

n° 36	Number / % of high community	nly vulnerable far	milies/individuals as	s defined by th	e humanitarian	
Theme	Sub-Category		(Optional) Sub	o-Division		
Vulnerability	Social Vulnerability		Status (host, IDP, returnee); Risk factor; Settlement type, Aid recipient / beneficiary (whether already a beneficiary of cluster support or not)			
		Description		•		
Rationale	Similar to the previous i be most vulnerable and to ensure protection ele	thus likely to be pr ments can be priorit	ioritised in the targeting is and in aid delivery to	ng of assistance. <i>I</i> this group	Allows for cluster	
Comments	Link to protection cluste the indicator and to fe strategy.	ed into the protec	tion cluster information			
		Indicator Measure	ment			
Use in Operation Management Cycle	Baseline Process Evaluation	<u> </u>	Outcome or Output Indicator	Outcome ☑	Output	

n° 37	Number / % of highly given shelter assistan		I families as defined	by the humanita	rian community
Theme	Sub-Category		(Optional) Sul	b-Division	
Vulnerability	Social Vulnerability	Status (host, I	DP, returnee); Vulnera	ability category; Se	ttlement type
Description					
Rationale	Similar to the previous indicator, it provides more in-depth information on whether the shelter cluster's aid interventions are reaching households considered to be most vulnerable and thus likely to be prioritised in the targeting of assistance. Allows for cluster to ensure protection elements can be prioritised in aid delivery to this group.				le and thus likely on elements can
Comments	Link to protection cluste the indicator and to fe strategy.	ed into the protec	tion cluster informati		
		Indicator Measure	ment		
Use in Operation	Baseline		Outcome or	Outcome	Output
Management Cycle	Process		Output Indicator		Output ☑
ivianagement Gydle	Evaluation		Output indicator	Ц	.

2.2.6 Vulnerability; Displacement

n° 38	Number / % of displaced households living in adequate shelters meeting shelter standards defined by the cluster				
Theme	Sub-Category		(Optional) Sub	o-Division	
Vulnerability	Displacement	Displacement conditions (formal camp, spontaneous settlement, hosted, evacuation centre); Displacement status (temporary, permanent, returnee etc.), Shelter solution			
Description					
Rationale	Relevant both in conte determine shelter need progress and impact.				
Comments	Linkage with CCCM clu- for data verification.	ster as well as IOM	/ UNHCR depending	of nature of displa	cement is critical
		Indicator Measure	ment		
Use in Operation Management Cycle	Baseline Process Evaluation	<u> </u>	Outcome or Output Indicator	Outcome	Output ☑

n° 39	Number / % of displaced persons returning to their shelter of origin						
Theme	Sub-Category		(Optional) Sub	o-Division	_		
Vulnerability	Displacement	Settlement type (at origin); Displacement conditions (formal camp, spontaneous settlement, hosted, evacuation centre)					
Description							
Rationale	This indicator facilitates place in order to meet the			lowing for relevant	planning to take		
		Indicator Measure	ment				
Lles in Operation	Baseline		Outcome or	Outcome	Output		
Use in Operation Management Cycle	Process	Ø		Outcome	Output		
wanagement Cycle	Evaluation		Output Indicator				

n° 40	Number / % of non- meeting shelter standa			seholds with ac	dequate shelter		
Theme	Sub-Category		(Optional) Sub	o-Division			
Vulnerability	Displacement		Settlement type (at origin); Displacement conditions (formal camp, spontaneous settlement, hosted, evacuation centre)				
	Description						
Rationale	This indicator facilitate households.	es the tracking of	shelter needs amo	ngst non-displace	ed and returnee		
		Indicator Measure	ment				
Use in Operation	Baseline		Outcome or	Outcome	Output		
Management Cycle	Process		Output Indicator		Output ☑		
management Cycle	Evaluation		Output indicator				

n° 41	Number / % of affect meeting shelter stand			econstruct an a	dequate shelter	
Theme	Sub-Category		(Optional) Sul	b-Division		
Vulnerability	Displacement	Settlement type (at origin); Displacement conditions (formal camp, spontaneous settlement, hosted, evacuation centre), Aid delivery mechanism				
	Description					
Rationale	This indicator aims tow amongst returnee popul be used as an evaluation and recovery process.	lations or within are	as experiencing retur	ns following a cris	is. It may further	
		Indicator Measure	ment			
Use in Operation Management Cycle	Baseline Process Evaluation	<u>a</u>	Outcome or Output Indicator	Outcome ☑	Output	

2.2.7 Housing Land and Property; Security of Tenure

n° 42	Number / % of forced evictions / property confiscations among target population				
Theme	Sub-Category		(Optional) Sub	o-Division	
HLP	Security of Tenure	Geographical / Administrative location, Socio-economic / Ethnic / Religious profile			Ethnic / Religious
	Description				
Rationale	Primarily useful in larg monitoring the sustainal an impact indicator to m	bility, equity and pro	tective nature of reco	very efforts. It can	
		Indicator Measure	ment		
Use in Operation	Baseline		Outcome or	Outcome	Output
Management Cycle	Process		Output Indicator	Outcome 	Output
Management Cycle	Evaluation	V	Output indicator	U	

n° 43	Number / % of target p	Number / % of target population affected by land disputes					
Theme	Sub-Category		(Optional) Sub	o-Division			
HLP	Security of Tenure	Geographical / Administrative location, Socio-economic / Ethnic / Religious profile			Ethnic / Religious		
Description							
Rationale	monitoring the sustainal in tracking types and n	Primarily useful in large scale permanent shelter construction scenarios, this indicator aims at monitoring the sustainability, equity and protective nature of recovery efforts. This indicator is useful in tracking types and numbers of land disputes, especially among vulnerable populations and can be used as an impact indicator in land tenure campaigns.					
		Indicator Measure	ment				
Use in Operation Management Cycle	Baseline Process Evaluation	<u> </u>	Outcome or Output Indicator	Outcome	Output		

n° 44	Number / % of landless households/people due to the [event]				
Theme	Sub-Category		(Optional) Sub	o-Division	
HLP	Security of Tenure	Geographical / Administrative location, Socio-economic / Ethnic / Religious profile, Other vulnerability groups			
Description					
Rationale	understanding the overa	Primarily useful in large scale permanent shelter construction scenarios, this indicator aims a understanding the overall impact of the disaster on landlessness. This can be used throughout the recovery process as an impact indicator for resettlement activities.			
Comments	There would need to be	agreement on the	ulnerability groups to	categorise popula	tion.
		Indicator Measure	ment		
Lico in Operation	Baseline		Outcome or	Outcome	Output
Use in Operation Management Cycle	Process		Output Indicator	Outcome	Output
wanagement Cycle	Evaluation		Output malcator		

n° 45	Number of households provided with legal advice on HLP issues					
Theme	Sub-Category		(Optional) Sub	o-Division		
HLP	Security of Tenure	Geographical/Administrative location, Socio-economic / Ethnic / Religious profile, Household status			Ethnic / Religious	
	Description					
Rationale	Monitoring tool to meas	Monitoring tool to measure the progress of such interventions.				
		Indicator Measure	ment			
Llas in Operation	Baseline		Outoons on	Outcome	Cutsut	
Use in Operation Management Cycle	Process		Outcome or Output Indicator		Output ☑	
Management Cycle	Evaluation		Output indicator			

n° 46	Number of legal / policy reforms to promote equitable land access					
Theme	Sub-Category		(Optional) Sub	o-Division		
HLP	Security of Tenure		Timefra	me		
	Description					
Rationale Comments	Primarily useful in large scale permanent shelter construction scenarios, this indicator aims a understanding the policy framework that exists for access to land and can be tracked over time to measure the impact of land tenure campaigns.					
		Indicator Measure	ment			
Harris Organis	Baseline	<u> </u>	_	0.1	0.1.1	
Use in Operation	Process	$\overline{\checkmark}$	Outcome or	Outcome	Output	
Management Cycle	Evaluation	V	Output Indicator	☑		

2.2.8 Housing Land and Property; Restoration of Land Rights

n° 47	Number / % of highly access to land	vulnerable familie	s as defined by the	humanitarian co	mmunity, given
Theme	Sub-Category		(Optional) Sub	o-Division	
HLP	Restoration of Land Rights	Geographical/Administrative location, Socio-economic / Ethnic / Religious profile, Timeframe			thnic / Religious
		Description			
Rationale	Primarily useful in larg tracking the number ar usually more vulnerable	nd percentage of th	e affected population		
Comments	This indicator requires given the current legal a			tegories of the aff	ected population
		Indicator Measure	ment		
Use in Operation Management Cycle	Baseline Process Evaluation	<u> </u>	Outcome or Output Indicator	Outcome	Output

n° 48	Number I % of landless population benefiting from programmes aimed at durable land resettlement solutions					
Theme	Sub-Category		(Optional) Sub	o-Division		
HLP	Restoration of Land	Geographical/Adı	ministrative location, S	Socio-economic / E	thnic / Religious	
ПЦР	Rights		profile	Э		
Description						
Rationale	Primarily useful in larg measuring the impact of					
		Indicator Measure	ment			
Lico in Operation	Baseline		Outcome or	Outcome	Output	
Use in Operation Management Cycle	Process		Output Indicator		Output ☑	
Management Cycle	Evaluation		Output indicator	J	Ľ	

n° 49	Number / % of affecte customary / informal)	ed individuals with	access to land dis	pute resolution b	ody (judicial or
Theme	Sub-Category		(Optional) Sul	o-Division	
HLP	Restoration of Land Rights	Geographical/Administrative location, Socio-economic / Ethnic profile			/ Ethnic profile
	Description				
Rationale	ensuring that resettled	Primarily useful in large scale permanent shelter construction scenarios, this indicator aims at ensuring that resettled populations have access to the necessary bodies for claim to lost land and land to be used for resettlement.			
Comments	This indicator requires monitoring scheme.	very close coordin	ation with relevant g	overnment structu	ires and a clear
		Indicator Measure	ment		
Use in Operation	Baseline		Outcome or	Outcome	Output
Management Cycle	Process		Output Indicator	Outcome	Output
Management Cycle	Evaluation		Output mulcator		

Housing Land and Property; Land Records and Administration 2.2.9

n° 50	Number of land records restored / issued				
n° 51	% of affected population	on with restored / i	ssued land records		
Theme	Sub-Category		(Optional) Sub	o-Division	
HLP	Land Records and Administration	Geographical / Administrative location			
		Description			
Rationale	measuring the progress claims to previously held	Primarily useful in large scale permanent shelter construction scenarios, this indicator aims at measuring the progress of land records restoration that are typically necessary for subsequent claims to previously held land or land to be used by resettled populations. The percentage indicator can be used as an impact indicator of land provision campaigns by the government.			
Comments	This indicator requires understanding of the do				bodies and an
		Indicator Measure	ment		
Use in Operation Management Cycle	Baseline Process Evaluation	<u> </u>	Outcome or Output Indicator	Outcome ☑	Output

n° 52	Number of days / steps necessary for access to necessary landholding documents				
Theme	Sub-Category		(Optional) Sub	o-Division	
HLP	Land Records and Administration	Geographical / Administrative location			
		Description			
Rationale	Primarily useful in large scale permanent shelter construction scenarios, this indicator aims at measuring the progress of the administration processes used for issuing new and restoring previous land documents. This can be used as an impact indicator over time for programming aimed at decreasing this processing time.				estoring previous
Comments	This indicator requires understanding of the do				bodies and an
		Indicator Measure	ment		
Use in Operation Management Cycle	Baseline Process Evaluation	<u>a</u>	Outcome or Output Indicator	Outcome	Output

n° 53	Number of trainings / information campaigns conducted on land access					
n° 54	% of affected population	on that has receive	ed information / train	ing on land acces	ss procedures	
Theme	Sub-Category		(Optional) Sub	o-Division		
HLP	Land Records and Administration	Geographical / Administrative location, Household status			d status	
Description						
Rationale	Primarily useful in larg measuring the progress processes they must go	s of campaigns for	cused on informing the			
		Indicator Measure	ment			
Use in Operation	Baseline		Outcome or	Outcome	Output	
Management Cycle	Process		Output Indicator		Output 17	
ivianagement Cycle	Evaluation	V	Output indicator	J	[₹]	

2.2.10 Disaster Risk Reduction; Shelter Hazard Mitigation

n° 55	Number / % of self-constructed / rehabilitated shelters incorporating hazard mitigation measures				
n° 56	Number / % of shelter	owners adopting h	nazard mitigation me	asures	
Theme	Sub-Category		(Optional) Sul	b-Division	
Disaster Risk Reduction	Shelter Hazard Mitigation	Settlement type: Shelter solution			
	Description				
Rationale	This indicator seeks to should measure the numeritigate the impact of hin the construction / rehammers.	mber of households azards experienced	that incorporate / add in the area of interv	lpot specific meas	ures designed to
Comments	Indicator would require reported by cluster mer information is pre/- post	mbers is comparabl	e. Ensure also that re	eported data indic	
		Indicator Measure	ment		
Use in Operation Management Cycle	Baseline Process Evaluation	<u> </u>	Outcome or Output Indicator	Outcome ☑	Output

n° 57	Number / % of people reporting improved shelter hazard mitigation knowledge [x] months after training					
Theme	Sub-Category		(Optional) Sub	o-Division		
Disaster Risk Reduction	Shelter Hazard Mitigation	Settlement type, Household status				
	Description					
Rationale	This indicator seeks to r	neasure the impact	of 'soft' training initiati	ives.		
		Indicator Measure	ment			
Llee in Operation	Baseline		Outcome or	0	Output	
Use in Operation	Process	$\overline{\checkmark}$	Outcome or	Outcome	Output	
Management Cycle	Evaluation	V	Output Indicator	☑		

2.2.11 Disaster Risk Reduction; Improved Land Management

n° 58	Number of information campaigns conducted aimed at informing target groups about more durable land management practices						
n° 59	% of target groups / population reached by information campaigns on more durable land management practices						
Theme	Sub-Category		(Optional) Sul	o-Division			
Disaster Risk Reduction	Improved Land Management	Geographical / Administrative location, Settlement type					
	Description						
Rationale	Primarily useful followir population understands of future disasters.						
		Indicator Measure	ment				
Lico in Operation	Baseline		Outcome or	Outcome	Output		
Use in Operation Management Cycle	Process		Output Indicator		Output ☑		
management Cycle	Evaluation		Output indicator				

2.2.12 Environment; Environmental Protection

n° 60	Number / % of shelters constructed from sustainable/renewable supply sources					
n° 61	Number / % of shelter owners using sustainable/renewable materials for their rehabilitation / reconstruction activities					
Theme	Sub-Category		(Optional) Sul	b-Division		
Other	Environmental Protection	Settlement type; Shelter solution				
	Description					
Rationale	Primarily useful in largindicators aim at monito				scenarios, these	
		Indicator Measure	ment			
Use in Operation	Baseline		Outcome or	Outcome	Output	
Management Cycle	Process		Output Indicator	☑ (n°61)	⊠ (n°60)	
Management Cycle	Evaluation	$\overline{\mathbf{V}}$	Output mulcator		E (11 00)	

2.3 CROSS-CUTTING INDICATORS

2.3.1 WaSH; Access to Water

n° 62	Number / % of affected households with access to safe drinking water					
Theme	Sub-Category		(Optional) Sul	o-Division		
WaSH	Access to Water	Shel	ter type; Settlement ty	/pe; Household sta	atus	
		Description				
Rationale	Indicator relevant as a v					
Comments	data collection recomm	ended during opera	tion - with increased	intensity based or		
	Link with WaSH cluster. Ensure use of SPHERE/ WHO standards for 'safe' drinking water. Regulated at a collection recommended during operation — with increased intensity based on health statist — and conducted on 'snapshot' basis at times of strong weather event[s]. Indicator Measurement					
Lico in Operation	Baseline		Outcome or	Outcome	Output	
Use in Operation Management Cycle	Process		Output Indicator		Output ☑	
ivianagement Cycle	Evaluation		Output mulcator			

n° 63	Average distance from a water source / facility				
Theme	Sub-Category		(Optional) Sub	o-Division	
WaSH	Access to Water	Shel	ter type; Settlement ty	/pe; Household sta	itus
		Description			
Rationale	Indicator relevant as a v	dicator relevant as a vulnerability marker and as a progress monitoring tool			
Comments	Link with WaSH cluston collection recommended				
		Indicator Measure	ment		
Lico in Operation	Baseline	$\overline{\checkmark}$	Outcome or	Outcome	Output
Use in Operation Management Cycle	Process		Output Indicator		Output ☑
ivianagement Cycle	Evaluation	$\overline{\mathbf{V}}$	Output indicator		Ľ

2.3.2 WaSH; Access to Sanitation

n° 64	Number / % of shelters with individual sanitation facilities					
Theme	Sub-Category	(Optional) Sub-Division				
WaSH	Access to Sanitation	Shel	ter type; Settlement ty	/pe; Household sta	ntus	
	Description					
Rationale	Indicator relevant as a vulnerability marker and as a progress monitoring tool					
Comments	Type of individual sanitation facilities to be determined according to specific context. Link with WaSH cluster. Recommended to monitor data regularly during operation – with increased intensity based on health statistics, if relevant.					
		Indicator Measure	ment			
Use in Operation	Baseline		Outcome or	Outcome	Output	
Management Cycle	Process	$\overline{\checkmark}$	Output Indicator		Output ☑	
	Evaluation	$\overline{\checkmark}$			<u></u>	

n° 65	Number / % of shelters with shared sanitation facilities					
Theme	Sub-Category (Optional) Sub-Division					
WaSH	Access to Sanitation	Shel	ter type; Settlement ty	/pe; Household sta	itus	
		Description				
Rationale	Indicator relevant as a vulnerability marker and as a progress monitoring tool					
Comments	Type of shared sanitation facilities to be determined according to specific context. Link with WaSH cluster. Recommended to monitor data regularly during operation – with increased intensity based on health statistics, if relevant.					
	Indicator Measurement					
Use in Operation	Baseline		Outcome or	Outcome	Output	
Management Cycle	Process	$\overline{\checkmark}$	Output Indicator		Output ☑	
ivianagement Cycle	Evaluation		Output indicator			

n° 66	Average distance between shelter and communal sanitation facilities					
Theme	Sub-Category	(Optional) Sub-Division				
WaSH	Access to Sanitation	Shel	ter type; Settlement ty	pe; Household sta	itus	
Description						
Rationale	Indicator relevant as a vulnerability marker and as a progress monitoring tool. Data can be used to ensure that gender marker and gender sensitivities are taken into consideration in operations. Further, data can support analysis of impact of action[s].					
Comments	Type of shared sanitation facilities to be determined according to specific context. Ensure data is referenced to SPHERE standards when reported. Link with WaSH and protection clusters (in the latter if data can be disaggregated by gender).					
		Indicator Measure	ment			
Use in Operation Management Cycle	Baseline Process Evaluation	<u>a</u>	Outcome or Output Indicator	Outcome	Output ☑	

2.3.3 Vulnerability; Social Vulnerability

n° 67	Total number of people affected					
Theme	Sub-Category (Optional) Sub-Division					
Vulnerability	Social Vulnerability	Status (host, IDP, returnee); Settlement type, Aid recipient / beneficiary (whether already a beneficiary of cluster support or not)				
		Description				
Rationale	This indicator provides the overall number of people affected by a/the crisis. Disaggregation by sex and/or age allows for a better definition of target groups and specific assistance planning by aid agencies/ organisations.					
Comments	Subdividing the indicator by whether the affected household has been a beneficiary (planned or recipient) allows for an evaluation of coverage of the cluster to support the preparation of factsheets or other progress reports.					
	Indicator Measurement					
Use in Operation Management Cycle	Baseline Process Evaluation	<u> </u>	Outcome or Output Indicator	Outcome	Output	

Vulnerability; Economic Vulnerability 2.3.4

n° 68	% of affected households under the poverty line after the [event]					
Theme	Sub-Category	(Optional) Sub-Division				
Vulnerability	Economic Vulnerability	Household status, Economic sector				
	Description					
Rationale	This information presents the % of affected households who are currently under the poverty line according to country specific standards. If geo-referenced, this information could lead to a better understanding of geographical disparities in terms of needs.					
Comments	Poverty line to be determined according to specific context.					
		Indicator Measure	ment			
Use in Operation Management Cycle	Baseline Process Evaluation	<u> </u>	Outcome or Output Indicator	Outcome ☑	Output	

n° 69	Average monthly income pre and/or post [event] within target population					
Theme	Sub-Category	(Optional) Sub-Division				
Vulnerability	Economic Vulnerability	Household status, Economic sector, Settlement type				
	Description					
Rationale	Assessing the impact of a crisis on HH income will enable actors to clarify which HHs are the most affected in terms of crisis resilience, as well as understanding which economic sectors have been the most affected in the immediate aftermath of a crisis. This information facilitates aid actors to effectively prioritise or target projects.					
	Indicator Measurement					
Use in Operation Management Cycle	Baseline Process Evaluation		Outcome or Output Indicator	Outcome ☑	Output	

n° 70	% of target families able to independently manage their daily needs					
Theme	Sub-Category	(Optional) Sub-Division				
Vulnerability	Economic Vulnerability	Household status, Economic sector, Settlement type				
Description						
Rationale	This indicator provides a generic overview of affected HHs economic profile based on the source of income per economic sector.					
Indicator Measurement						
Use in Operation Management Cycle	Baseline	Ø	Outcome or Output Indicator	Outcome 🗹	O. 4m. 4	
	Process				Output	
	Evaluation					

2.3.5 Vulnerability; Landmines / UXOs

n° 71	Number / % of shelters with presence of UXOs / ERW					
Theme	Sub-Category (Optional) Sub-Division					
Vulnerability	Landmines / UXOs	Settlement type; Geographical or Administrative location				
Description						
Rationale	Presence of UXOs / ERW directly negatively affects physical access to the shelter for household members as well as humanitarian staff. UXOs / ERW have an impact on reconstruction or rehabilitation planning, as well as HH returns to their homes.					
Comments	Link to protection cluster.					
	Indicator Measurement					
Lles in Operation	Baseline	V	Outcomo or	Outcomo	Output	
Use in Operation Management Cycle	Process	V	Outcome or Output Indicator	Outcome	Output ☑	
	Evaluation	V			₩	